

## **PUBBLICAZIONI SU RIVISTE INTERNAZIONALI**

1. Family and population studies of SAHH and ADA polymorphisms. A possible pitfall in the ascertainment of SAHH electrophoretic phenotypes. Scorzari R., Sellitto D., Tassone F., **Cerroni L.** and Aliquò M.C.; *Ann. Hum. Genet.* (1987), 51:295-302.
2. Ischemia-reperfusion damages in isolated rat heart: Protection by Fructose-1,6-diphosphate. Tavazzi B., Lazzarino G., Nuutinen M., Di Pierro D., **Cerroni L.** and Giardina B.; *Pharmacol. Res. Comms.* (1988), Vol 20 Supplement 2 ISSN 0031-6989, pg 382.
3. Oxygen radical injury and loss of high energy compounds in anoxic and reperfused rat heart: prevention by exogenous Fructose-1,6-bisphosphate. Tavazzi B., **Cerroni L.**, Di Pierro D., Lazzarino G., Nuutinen M., Starnes J.W. and Giardina B.; *Free Rad. Res. Comms.* (1989), Vol 10, 3:167-176.
4. Interaction of hemoglobin with chloride and 2,3-bisphosphoglycerate. A comparative approach. Giardina B., Brix O., Colosimo A., Petruzzelli R., **Cerroni L.** and Condò S.G.; *Eur. J. Biochem.* (1990), 194:61-65.
5. Preserving effect of Fructose-1,6-bisphosphate on high-energy compounds during anoxia and reperfusion in isolated Langendorff-perfused rat-hearts. Lazzarino G., Nuutinen M.E., Tavazzi B., **Cerroni L.**, Di Pierro D. and Giardina B.; *J. Mol. Cell Cardiol.* (1991), 23:13-23.
6. Simultaneous separation of malondialdehyde, ascorbic acid and adenine nucleotide derivatives from biological samples by ion-pairing high performance chromatography. Lazzarino G., Di Pierro D., Tavazzi B., **Cerroni L.** and Giardina B.; *Anal. Biochem.* (1991), 197: 191-196.
7. Iatrogenic modifications of oxygen binding curve of hemoglobins: possible pharmacological and clinical implications. R. Scatena, **L. Cerroni**, P. De Sole, P. Di Pierro, S.G. Condò, B. Giardina. *Ital. J. Biochem.* (1991), 40(4): 281A-283A.
8. Protein engineering in haemoglobin. B. Giardina, R. Scatena, M.E. Clementi, **L. Cerroni**, S.G. Condò, M. Nuutinen, O. Brix; *Nature* (1992), 355, 777-778.
9. Temperature insensitivity of oxygen binding of the Hemoglobin from a marine turtle (*Caretta Caretta*). B. Giardina, A. Galtieri, A. Lania, **L. Cerroni**, A. Desideri, S.G. Condò. *Ital. J. Biochem.* (1992), 41(4): 261A-262A.
10. Reduced sensitivity of O<sub>2</sub> transport to allosteric effectors and temperature in loggerhead sea turtle hemoglobin: functional and spectroscopic study. B. Giardina, A. Galtieri, A. Lania, P. Ascenzi, A. Desideri, **L. Cerroni** and S.G. Condò; *Biochim. Biophys. Acta* (1992), 1159: 129-133.
11. Physiological relevance of the overall ΔH of oxygen binding to fetal human hemoglobin B. Giardina, R. Scatena, M.E. Clementi, **L. Cerroni**, M. Nuutinen, O. Brix, S. N Sletten, M. Castagnola and S.G. Condò. *J. Mol. Biol.* (1993), 229:512-516.

12. Kinetic evidence for the existence of a rate-limiting step in the reaction of ferric hemoproteins with anionic ligands. Coletta, M. Angeletti, G. De Sanctis, **L. Cerroni**, B. Giardina, G. Amiconi and P. Ascenzi; *Eur. J.Biochem.* 1996; 235:49-53.,
13. Necessità e validità di modelli standard per la valutazione sperimentale preclinica dei biomateriali. Un esempio di caratterizzazione biologica di un materiale da impianto a base di idrossiapatite. Caropreso S., **Cerroni L.**, Marini S., Cocchia D., Martinetti R. e S.G. Condò. *Minerva Stomatologica*, 1997;46,45-50,
14. Thin sections for hard tissue histology: a new procedure Caropreso S, Bondiolo L, Capannolo D, **Cerroni L**, Macchiarelli R e Condò SG: *Journal of Microscopy*, 2000;199,244-247,
15. Growth of osteoblast-like cells on porous hydroxyapatite ceramics: an in vitro study. **Cerroni L**, Filocamo R, Fabbri M, Piconi C, Caropreso S, Condò SG. *Biomol Eng* 2002;19,119-124,
16. Bacterial colonization of zirconia ceramic surfaces: an in vitro and in vivo study. Rimondini L, **Cerroni L**, Carrassi A, Torricelli P. *Int J Oral Maxillofac Implants*. 2002;17(6):793-8.,
17. A comparative study of smear layer removal and erosion in apical intraradicular dentine with three irrigating solutions: a scanning electron microscopy evaluation. Mancini M, Armellin E, Casaglia A, **Cerroni L**, Cianconi L. *J Endod*. 2009 Jun;35(6):900-3.
18. Morphological observations and Fractological considerations on orthodontics miniscrews. Casaglia A, Dominici F, Pachì F, Turlà R, Cerroni L. *Minerva Stomatologica*, 2010;59:465-76

#### Libri

1. Piconi C, Rimondini L, Cerroni L. *La zirconia in odontoiatria*. Elsevier Eds. 2008