N° 60 PUBBLICAZIONI SU RIVISTE INTERNAZIONALI :

1: Cinzia Ciccacci, Mattia Falconi, Nicoletta Paolillo,Francesco Oteri,Vittorio Forte, Giuseppe Novelli, Alessandro Desideri and Paola Borgiani
Characterization of a novel CYP2C9 gene mutation and structural bioinformatic protein analysis in a warfarin hyper- sensitive patient
Pharmacogenetics and Genomics, IN PRESSS 2011

2: C Ciccacci, N Paolillo, D Di Fusco, G Novelli and P Borgiani
EPHX1 polymorphisms are not associated with warfarin response in an Italian population.
Clinical Pharmacology & Therapeutics, IN PRESSS 2011

3: Saccucci P, Meloni GF, Verrotti A, Borgiani P, D'Annibale F, Giannini C, Lucarelli P, Bottini N, Chiarelli F, Bottini E, Gloria-Bottini F.
A study ofthree polymorphic sites of the ADA gene in children with type 1 diabetes mellitus.
J Pediatr Endocrinol Metab. 2010 Mar;23(3):283-90. PubMed PMID:

4: Ciccacci C, Borgiani P, Ceffa S, Sirianni E, Marazzi MC, Altan AM, Paturzo G, Bramanti P, Novelli G, Palombi L.
Nevirapine-induced hepatotoxicity and pharmacogenetics: a retrospective study in a population from Mozambique.
Pharmacogenomics. 2010 Jan;11(1):23-31. PubMed PMID: 20017669.

5 : Novelli G, Borgiani P, Ciccacci C, Di Daniele N, Sirugo G, Papaluca Amati M.
Pharmacogenomics: role in medicines approval and clinical use.
Public Health Genomics. 2010;13(5):284-91. Epub 2009 Oct 6. Review. PubMed PMID: 19815999.

6: Cipollone D, Carsetti R, Tagliani A, Rosado MM, Borgiani P, Novelli G, D'Amati G, Fumagalli L, Marino B, Businaro R.
Folic acid and methionine in the prevention of teratogen-induced congenital defects in mice.
Cardiovasc Pathol. 2009 Mar-Apr;18(2):100-9. Epub 2008 Apr 15. PubMed PMID: 18417366.

7: Borgiani P, Ciccacci C, Forte V, Sirianni E, Novelli L, Bramanti P, Novelli G.
CYP4F2 genetic variant (rs2108622) significantly contributes to warfarin dosing variability in the Italian population.
Pharmacogenomics. 2009 Feb;10(2):261-6. PubMed PMID: 19207028.

8: Lombardi F, Fasciglione GF, D'Apice MR, Vielle A, D'Adamo M, Sbraccia P, Marini S, Borgiani P, Coletta M, Novelli G.
Increased release and activity of matrix metalloproteinase-9 in patients with mandibuloacral dysplasia type A, a rare premature ageing syndrome.
Clin Genet. 2008 Oct;74(4):374-83. Epub 2008 Jun 28. PubMed PMID: 18554282.

9: Perricone C, Borgiani P, Romano S, Ciccacci C, Fusco G, Novelli G, Biancone L, Calabrese E, Pallone F.
ATG16L1 Ala197Thr is not associated with susceptibility to Crohn's disease or with phenotype in an Italian population.
Gastroenterology. 2008 Jan;134(1):368-70. PubMed PMID: 18166373.

10: Borgiani P, Ciccacci C, Forte V, Romano S, Federici G, Novelli G.
Allelic variants in the CYP2C9 and VKORC1 loci and interindividual variability in the anticoagulant dose effect of warfarin in Italians.
Pharmacogenomics. 2007 Nov;8(11):1545-50. PubMed PMID: 18034619.

11: Borgiani P, Perricone C, Ciccacci C, Romano S, Novelli G, Biancone L, Petruzziello C, Pallone F. Interleukin-23R Arg381Gln is associated with susceptibility to Crohn's disease but not with phenotype in an Italian population.

Gastroenterology. 2007 Sep;133(3):1049-51; author reply 1051-2. PubMed PMID: 17854611.

12: Vecchione L, Gargiul E, Borgiani P, Predazzi I, Mango R, Romeo F, Magnani M, Novelli G.
Genotyping OLR1 gene: a genomic biomarker for cardiovascular diseases.
Recent Pat Cardiovasc Drug Discov. 2007 Jun;2(2):147-51. PubMed PMID: 18221114.

13: Novelli G, Mango R, Vecchione L, Mariotti E, Borgiani P, Mehta JL, Romeo F.
[New insights in atherosclerosis research: LOX-1, leading actor of cardiovascular diseases].
Clin Ter. 2007 May-Jun;158(3):239-48. Review. Italian. PubMed PMID:

14 Novelli G, Borgiani P, Mango R, Lauro R, Romeo F.
Further evidence that polymorphisms of the OLR1 gene are associated with susceptibility to coronary artery disease and myocardial infarction.
Nutr Metab Cardiovasc Dis. 2007 Mar;17(3):e7-8; author reply e9-10. Epub 2007 Feb 26. PubMed PMID: 17321727.

15: Novelli G, Borgiani P, Mango R, Romeo F, Mehta JL.
OLR1 gene and coronary artery disease/acute myocardial infarction: replication in an independently collected sample.
Eur J Hum Genet. 2006 Aug;14(8):894-5; author reply 895. Epub 2006 May 17. PubMed PMID: 16724009.

16: Mango R, Vecchione L, Raso B, Borgiani P, Brunetti E, Mehta JL, Lauro R,
Romeo F, Novelli G.
Pharmacogenomics in cardiovascular disease: the role ofsingle nucleotide polymorphisms in improving drug therapy.
Expert Opin Pharmacother. 2005 Dec;6(15):2565-76. Review. PubMed PMID: 16316297.

17: Zaffanello M, Zamboni G, Schadewaldt P, Borgiani P, Novelli G.
Neonatal screening, clinical features and genetic testing for galactosemia.
Genet Med. 2005 Mar;7(3):211-2. PubMed PMID: 15775761.

18: Vallo L, Bonifazi E, Borgiani P, Novelli G, Botta A.
Characterization of a single nucleotide polymorphism in the ZNF9 gene and analysis of association with myotonic dystrophy type II (DM2) in the Italian population.
Mol Cell Probes. 2005 Feb;19(1):71-4. Epub 2004 Nov 12. PubMed PMID: 15652222.

19: Bottini N, Gloria-Bottini F, Borgiani P, Antonacci E, Lucarelli P, Bottini E.
Type 2 diabetes and the genetics of signal transduction: a study of interactionbetween adenosine deaminase and acid phosphatase locus 1 polymorphisms.
Metabolism. 2004 Aug;53(8):995-1001. PubMed PMID: 15281007.

20: Giardina E, Novelli G, Costanzo A, Nisticò S, Bulli C, Sinibaldi C, Sorgi ML,Chimenti S, Pallone F, Taccari E, Borgiani P.
Psoriatic arthritis and CARD15 genepolymorphisms: no evidence for association in the Italian population.
J Invest Dermatol. 2004 May;122(5):1106-7. PubMed PMID: 15140210.

21: Vavassori P, Borgiani P, Biancone L, D'Apice MR, Blanco Gdel V, Vallo L, De Nigris F, Monteleone I, Monteleone G, Pallone F, Novelli G.
CARD15 mutation analysis in an Italian population: Leu1007fsinsC but neither Arg702Trp nor Gly908Arg mutations are associated with Crohn's disease.
Inflamm Bowel Dis. 2004 Mar;10(2):116-21. PubMed PMID: 15168811.

22: Mango R, Clementi F, Borgiani P, Forleo GB, Federici M, Contino G, Giardina E, Garza L, Fahdi IE, Lauro R, Mehta JL, Novelli G, Romeo F.
Association of single nucleotide polymorphisms in the oxidised LDL receptor 1 (OLR1) gene in

patients with acute myocardial infarction.
J Med Genet. 2003 Dec;40(12):933-6. PubMed PMID: 14684693; PubMed Central PMCID: PMC1735345.

23: Novelli G, Borgiani P, Giardina E, Mango R, Contino G, Romeo F, Mehta JL.
Role of genetics in prevention of coronary atherosclerosis.
Curr Opin Cardiol. 2003 Sep;18(5):368-71. Review. PubMed PMID: 12960469.

24: Borgiani P, Nicotra M, Amante A, Lucarini N, Cosmi E, Bottini E.
Intrauterine development and MNSs blood groups in repeated spontaneous abortion.
Int J Gynaecol Obstet. 2003 May;81(2):207-11. PubMed PMID: 12706279.

25: Bottini N, Otsu A, Borgiani P, Saccucci P, Stefanini L, Greco E, Fontana L, Hopkins JM, Mao XQ.
Genetic control of serum IgE levels: a study of low molecular weight protein tyrosine phosphatase.
Clin Genet. 2003 Mar;63(3):228-31. PubMed PMID: 12694235.

26: Meloni G, Bottini N, Borgiani P, Lucarelli P, Meloni T, Bottini E.
Association of the ACP1 genotype with metabolic parameters upon initial diagnosis of type 1 diabetes.
Med Sci Monit. 2003 Mar;9(3):CR105-8. PubMed PMID: 12640337.

27: Borgiani P, Vallo L, D'Apice MR, Giardina E, Pucci S, Capon F, Nisticò S, Chimenti S, Pallone F, Novelli G.
Exclusion of CARD15/NOD2 as a candidate susceptibility gene to psoriasis in the Italian population.
Eur J Dermatol. 2002 Nov-Dec;12(6):540-2. PubMed PMID: 12459523.

28: Faggioni G, Borgiani P, Bottini N, Gloria-Bottini F, Tontoli F, Contreas V, Bottini E, Lista F.
Identification of two SNPs in the 5' flanking region of the ACP1 gene and evaluation of disequilibrium among polymorphic sites.
Ann Hum Genet. 2002 Jul;66(Pt 4):245-54. PubMed PMID: 12418966.

29: Bottini N, Borgiani P, Otsu A, Saccucci P, Stefanini L, Greco E, Fontana L, Hopkin JM, Mao XQ, Shirakawa T.
IL-4 receptor alpha chain genetic polymorphism and total IgE levels in the English population: two-locus haplotypes are more informative than individual SNPs.
Clin Genet. 2002 Apr;61(4):288-92. PubMed

30: Bottini N, Meloni GF, Borgiani P, Giorgini A, Buzzetti R, Pozzilli P, Lucarelli P, Gloria-Bottini F.
Genotypes of cytosolic low-molecular-weight protein-tyrosine-phosphatase correlate with age at onset of type 1 diabetes in a sex-specific manner.
Metabolism. 2002 Apr;51(4):419-22. PubMed PMID: 11912546.

31: Vavassori P, Borgiani P, D'Apice MR, De Negris F, Del Vecchio Blanco G, Monteleone I, Biancone L, Novelli G, Pallone E.
3020insC mutation within the NOD2 gene in Crohn's disease: frequency and association with clinical pattern in an Italian population.
Dig Liver Dis. 2002 Feb;34(2):153. PubMed PMID: 11926563.

32: Bottini N, Mao XQ, Borgiani P, Saccucci P, Stefanini L, Greco E, Fontana L, Shirakawa T, Hopkin JM.
Low molecular weight PTP-IL-4RA interaction in atopy predisposition.
Allergy. 2002;57 Suppl 72:10-2. PubMed PMID: 12144546.

33: Gloria-Bottini F, Lucarini N, Palmarino R, La Torre M, Nicotra M, Borgiani P, Cosmi E, Bottini E.
Phosphoglucomutase genetic polymorphism of newborns.
Am J Hum Biol. 2001 Jan-Feb;13(1):9-14. PubMed PMID: 11466970.

34: Greene LS, Bottini N, Borgiani P, Gloria-Bottini F.
Acid phosphatase locus 1 (ACP1): Possible relationship of allelic variation to body size and human population adaptation to thermal stress-A theoretical perspective.
Am J Hum Biol. 2000 Sep;12(5):688-701. PubMed PMID: 11534062.

35: Gloria-Bottini F, Antonacci E, Bottini N, Ogana A, Borgiani P, De Santis G, Lucarini N.
RH blood groups and diabetic disorders: is there an effect on glycosylated hemoglobin level?
Hum Biol. 2000 Apr;72(2):287-94. PubMed PMID:

36: Lucarelli P, Gloria-Bottini F, Antonacci E, Borgiani P, Palmarino R, Bottini E.
A study of human growth hormone and insulin gene regions in relation to metabolic control of non-insulin-dependent diabetes mellitus.
Metabolism. 2000 Apr;49(4):424-6. PubMed PMID: 10778862.

37: Lucarini N, Antonacci E, Bottini N, Borgiani P, Faggioni G, Gloria-Bottini F.
Phosphotyrosine-protein-phosphatase and diabetic disorders. Further studies on the relationship between low molecular weight acid phosphatase genotype and degree of glycemic control.
Dis Markers. 1998 Oct;14(2):121-5. PubMed PMID:

38: Lucarini N, Bottini N, Antonacci E, Borgiani P, Faggioni G, Gloria-Bottini F.
Diabetic complications and the genetics of signal transduction. A study of retinopathy in NIDDM.
Dis Markers. 1997 Nov;13(3):169-76. PubMed PMID: 9405929.

39: Bottini E, Bottini FG, Borgiani P, Businco L.
Association between ACP1 and favism: a possible biochemical mechanism.
Blood. 1997 Apr 1;89(7):2613-5. PubMed

40: Amante A, Borgiani P, Gimelfarb A, Gloria-Bottini F.
Interethnic variability in birth weight and genetic background: a study of placental alkaline phosphatase.
Am J Phys Anthropol. 1996 Dec;101(4):449-53. PubMed PMID: 9016360.

41: Gloria-Bottini F, Gerlini G, Lucarini N, Borgiani P, Amante A, La Torre M, Antonacci E, Bottini E.
Phosphotyrosine protein phosphatases and diabetic pregnancy: an association between low molecular weight acid phosphatase and degree of glycemic control.
Experientia. 1996 Apr 15;52(4):340-3. PubMed PMID:

42: Gloria-Bottini F, Nicotra M, Lucarini N, Borgiani P, La Torre M, Amante A, Gimelfarb A, Bottini E.
Phosphotyrosine-protein-phosphatases and human reproduction: an association between low molecular weight acid phosphatase (ACP1) and spontaneous abortion.
Dis Markers. 1996 Mar;12(4):261-9. PubMed PMID:

43 : Bottini E, Gloria-Bottini F, Borgiani P.
ACP1 and human adaptability. 1. Association with common diseases: a case-control study.
Hum Genet. 1995 Dec;96(6):629-37. PubMed PMID: 8522318.

44: Lucarini N, Nicotra M, Gloria-Bottini F, Borgiani P, Amante A, Muttinelli C, Signoretti F, La Torre M, Bottini E.
Interaction between ABO blood groups and ADA genetic polymorphism during intrauterine life. A comparative analysis of couples with habitual abortion and normal puerperae delivering a live-born infant.
Hum Genet. 1995 Nov;96(5):527-31. PubMed PMID: 8529998.

45: Gloria-Bottini F, Borgiani P, Amante A, Lucarelli P, Bottini E.
Genetic interactions and the environment: a study of ADA and ACP1 systems in the Sardinian population.
Hum Hered. 1995 May-Jun;45(3):129-34. PubMed PMID: 7615297.

46: Gloria-Bottini F, Lucarini N, Borgiani P, Amante A, Gerlini G, La Torre M, Bottini E.
Evidence of selection on PGM1 polymorphism in diabetic pregnancy.
Hum Biol. 1994 Dec;66(6):1049-58. PubMed PMID: 7835871.

47: Lucarini N, Gerlini G, Palmarino R, Lucarelli P, Borgiani P, Gloria-Bottini F, Bottini E.
Is there a genetic basis for gestational diabetes?
Hum Biol. 1994 Aug;66(4):715-23. PubMed PMID: 8088756.

48: Borgiani P, Gloria-Bottini F, Gerlini G, Lucarini N, Amante A, Bottini E.
Haptoglobin development in newborn infants from diabetic mothers.
Experientia. 1994 Jul 15;50(7):687-90. PubMed PMID: 8033977.

49: Gloria-Bottini F, Gerlini G, Lucarini N, Amante A, Lucarelli P, Borgiani P, Bottini E.
Both maternal and foetal genetic factors contribute to macrosomia of diabetic pregnancy. Hum Hered. 1994 Jan-Feb;44(1):24-30. PubMed PMID: 7909309.

50: Lucarini N, Bottini FG, Borgiani P, Amante A, Gerlini G, Bottini E.
Genetic and non genetic factors in the outcome of diabetic pregnancy.
J Perinat Med. 1994;22(5):379-85.

51: Gloria-Bottini F, Lucarini N, Scalamandré A, Borgiani P, Amante A, Bottini E.
Phosphoglucomutase genetic polymorphism and human fertility. Soc Biol. 1992 Fall-Winter;39(3-4):246-56. PubMed PMID: 1340043.

52: Borgiani P, Gloria-Bottini F, Lucarini N, La Torre M, De Luca M, Gerlini G, Bottini E.
Diabetic pregnancy: is there intrauterine selection of ADA polymorphism?
Am J Hum Genet. 1991 Aug;49(2):464-6. PubMed PMID: 1867205; PubMed Central PMCID: PMC1683276.

53: Paggi A, Borgiani P, Gloria-Bottini F, Russo S, Saponara I, Banci M, Amante A, Lucarini N, Bottini E.
Further studies on acid phosphatase in obese subjects.
Dis Markers. 1991 Jan-Feb;9(1):1-7. PubMed PMID: 1742941.

54: Lucarini N, Finocchi G, Gloria-Bottini F, Macioce M, Borgiani P, Amante A, Bottini E.
A possible genetic component of obesity in childhood. Observations on acid phosphatase polymorphism.
Experientia. 1990 Jan 15;46(1):90-1. PubMed PMID:

55: Gloria-Bottini F, Gerlini G, Lucarini N, Borgiani P, Gori MC, Amante A, Bottini E.
Enzyme polymorphism and clinical variability of diseases: a study of diabetes mellitus.
Hum Biol. 1989 Aug;61(4):571-89. PubMed PMID: 2556341.

56: Lucarini N, Borgiani P, Ballarini P, Bottini E.
Erythrocyte acid phosphatase (ACP1) activity. In vitro modulation by adenosine and inosine and effects of adenosine deaminase (ADA) polymorphism.
Hum Genet. 1989 Jan;81(2):185-7. PubMed

57: Lucarini N, Borgiani P.
Enzyme activity and distribution of adenosine deaminase types in a population of central Italy.
Hum Hered. 1989;39(6):322-6. PubMed PMID: 2613260.

58: Lepore A, Lucarini N, Evangelista MA, Palombaro G, Londrillo A, Ballarini P, Borgiani P, Gloria-Bottini F, Bottini E.
Enzyme variability and neonatal jaundice. The role of adenosine deaminase and acid phosphatase.
J Perinat Med. 1989;17(3):195-201. PubMed PMID: 2810003.

59: Gloria-Bottini F, Gerlini G, Lucarini N, Borgiani P, Gori MC, Amante A, Lucarelli P, Bottini E.
Foetal macrosomia and erythrocyte acid phosphatase (ACP1) polymorphism in diabetic and normal pregnancy.
Early Hum Dev. 1988 Aug-Sep;17(2-3):265-74. PubMed PMID: 3208681.

60: Lucarini N, Gerlini G, Gloria-Bottini F, Gori MC, Borgiani P, Caprella ML, Bottini E.
Foetal macrosomia in diabetic pregnancy.
Further data on the association with maternal PGM1 genotype. Diabetes Res. 1987 Aug;5(4):169-74.